

# **FIREFIGHTER I**

# PRACTICAL SKILLS CERTIFICATION EVALUATION PACKET

(NFPA Standard 1001, 2008 Edition)

Department of Public Safety Alaska Fire Standards Council 5700 E. Tudor Road Anchorage, Alaska 99507 (907)269-5052

www.firestandards.alaska.gov

Revised October 2011

V08-7

#### **Skill Sheet Packet Instruction**

#### **Purpose of the Skill Sheets**

All skills listed in this packet are consistent with the 2008 edition of the NFPA 1001 Standard for Firefighter Professional Qualifications. The Alaska Fire Standards Council (AFSC) provides these skill sheets as the basis for Firefighter I testing and certification. For certification purposes, the final skill examination will consist of a series of mandatory skill stations and a selection of random skills from this packet.

#### **Description & Use**

- These skills sheets are designed for use by the Training Officer and Firefighter I candidate. Use of this packet
  throughout a training program will assist in verifying candidate competency and completion of the <u>Firefighter
  I Training Record</u>. For eligibility to complete the final certification examination, a candidate must
  demonstrate competency in all skills during training and satisfactorily compete all items on the firefighter I
  training record document.
- 2. This packet is designed to encompass the requisite skills for Firefighter I and many of these skill sheets are used for final testing and certification. Accreditation Managers/Training Officers and Firefighter I course instructors should utilize this evaluation packet during a course to prepare candidates for the certification exam. These skills sheets should be given to every Firefighter I candidate at the beginning of a training course and used throughout the course for ongoing evaluation by the instructor. For a candidate's final skills evaluation, she or he must successfully perform each skill while being evaluated on performance competency by an AFSC examination representative.
- The final skills examination will consist of skills selected from this packet. Skills are selected from the mandatory and random skills categories. This packet contains a list of all mandatory and randomly selected skills that are used for the final examination.
- 4. Random skill stations will be selected using a test management system within the AFSC office. The random skill stations are selected just prior to the test date. The Certifying Officer will notify candidates which skills they will be required to complete at the start of the practical skills portion on the date of the examination.
- 5. The completion of the Firefighter I Training Record establishes a candidate's eligibility to test. This document must be fully completed and signed by the Accreditation Manager/Training Officer or designee for each candidate before a candidate can begin the final skills examination. The Firefighter I Training Record and the practical skills evaluation sheets shall become a permanent part of the candidate's local training record, and this information shall be kept on file in accordance with local fire department procedures.

#### **Grading Criteria**

- 1. It is expected that all of the listed skill sheet elements will be taught and evaluated by the Firefighter I instructor throughout a course. During the final skills exam the candidate must be prepared to perform all the skills listed in this packet. There are no specific critical points designated within the practical skill sheets, and the Certifying Officer (CO) will require the candidate to repeat an individual practical skill station if *all* of the listed skill items on a selected sheet are not completed by the candidate.
- 2. This packet contains skill requirements that involve the demonstration of firefighting skills within "simulated" fire scenarios related to fire ground activities. When applicable, skill sheets specifically describe when simulated fire conditions are permitted for certification testing.
- 3. Regardless of which final examination skills are selected, there are critical performance items that must be followed for satisfactory performance. Examples of unsatisfactory performance can include:
  - a. Exceeding limitations: time, safety, and equipment limitations
  - b. Inadequate/insufficient personal protective equipment
  - c. Lack of skill accuracy and task completion as defined on the skill evaluation sheet

- d. Poor judgment in skill performance (i.e.- wrong application of tool or equipment or safety violation)
- e. Failure to appropriately apply basic fire fighting knowledge
- f. Not competent in the specified task or skill steps
- g. Outcome of the specified task is in doubt (i.e.- incorrectly performed or did not accomplish skill evaluation criteria)
- h. Need for Evaluator intervention (i.e.- imminent health or safety risk to candidate or others)
- i. Failure to adhere to basic safety principles or guidelines

#### **Artificialities of Training and Testing**

Training and testing for Firefighter I can only approximate the on-the-job activities of a firefighter. There are certain artificialities to training and testing that the candidate must be able to adapt to. Candidates must be aware that actual fire ground situations cannot be completely duplicated during final examination scenarios. For the best possible outcome during final skills examination, Firefighter I instructors must prepare the candidates to competently perform the skills listed in this packet throughout a training course.

#### **Final Skills Evaluation**

The AFSC designated Certifying Officer (CO) conducts the final evaluation and utilizes the practical skills evaluation sheets during the final examination process. Throughout the final examination, the CO has the overall test site authority and is required to perform his or her duties as outlined in the <a href="Certification Policy Manual">Certification Policy Manual</a>.

For preparation of the final examination the designated CO must coordinate with the Accreditation Manager/Training Officer, or designee, to ensure an adequate test site location is available. The Accreditation Manager/Training Officer is responsible for preparation of all test site equipment/materials and arranging designated evaluators for the date of the practical examination. The CO must verify that all required elements are adequate for testing and will approve all designated Evaluators. Designated Evaluators shall receive training appropriate for the test site and are required to complete an <a href="Evaluator Code of Ethics Compliance">Evaluator Code of Ethics Compliance</a> agreement before testing begins.

The CO shall verify completion of the final examination packet, and the packet will be attached to the Firefighter I Training Record as part of the candidate's permanent local training record.

#### **Emergency Medical Care and Hazardous Materials Operations Requirements**

This packet does not include individual skills for the Emergency Medical Care requirements (NFPA 1001, 4.3) or Hazardous Materials requirements (NFPA 1001, 5.1). However, completion of both requirements is required for final certification and must be indicated on the Firefighter I Training Record.

The emergency medical care requirement shall follow the requirements listed in NFPA 1001, Section 4.3. At a minimum the medical training requirements shall include infection control, bleeding control, shock management, and a \*valid CPR credential. Additional emergency medical performance capabilities shall be developed and validated by the authority having jurisdiction (AHJ) in accordance with the local policy and procedure.

Hazardous Materials requirements shall follow the guidelines listed in the <u>Hazardous Materials Certification</u> <u>Program</u>, and final skill evaluation shall be conducted using the <u>Hazardous Materials Operations Skill Sheets</u>. Although Hazardous Materials Operations is considered a separate level of certification, it is required for certification as a Firefighter I. In general, final practical examinations skills for the Hazardous Materials Operations portion shall be included with the Firefighter I practical skills evaluations unless other arrangements with the AFSC office have been specified by the Accreditation Manager/Training Officer prior to a scheduled test date.

For final certification at the Firefighter I level, Emergency Medical Care and Hazardous Materials Operations requirements must be satisfied before issuance of a certificate.

\* A valid CPR credential includes any one of the following: a CPR card; completed course rosters; or a letter from a certified CPR Instructor attesting to the applicant's successful completion of a CPR program. The card or

letter must clearly indicate that the course included adult, child, and infant CPR and airway obstruction relief maneuvers, including two-rescuer CPR and barrier devices. The AFSC <u>Certification Policy Manual</u> lists CPR credentials that are acceptable for **Firefighter I** certification.

#### **Additional Notes:**

- 1. During the final practical examination it is expected that an appropriate uniform, or full personal protective equipment (PPE), shall be worn unless otherwise indicated within the skill evaluation sheet.
- 2. During some scenarios a candidate may be instructed to perform other Firefighter I tasks not directly related to the specific skill sheet evaluation being tested. It is expected that the candidate shall perform all related skills correctly.
- 3. Some skills may include a time limit. An Evaluator may use a digital or analog watch/stopwatch for final skills evaluation. Prior to the start of the practical examination, the CO must inspect and approve all timing devices used during final skills evaluations.
- 4. Some skills require that equipment or documentation be used within the final skills examination. Unless otherwise indicated, it is permissible for the candidate to prepare or assemble the required equipment or paperwork at any time, provided that this does not interfere with the core skill, task, or evolution.
- 5. Candidates must be prepared to complete skills under a variety of conditions. Training and skills practice is often done during optimum conditions, but candidates must be prepared to adapt to changing conditions that can occur in actual fire ground situations. The Evaluator ultimately determines if the candidate has met the criteria specified on the skill(s) being evaluated.
- 6. For final examination, the performance of a skill, task, or evolution is not required to be done in the exact order of the steps (as outlined on the skill sheet), unless it is critical to a particular task. For example, a person must don turnout gear before donning an SCBA.
- 7. Some scenarios may involve skills that must be performed as a team. During final skills examinations Evaluators and candidates must be cognizant that each team member is evaluated separately to ensure individual criteria is met. An individual candidate may be required to repeat a task if they do not satisfy the skill sheet requirements if working as a member of a team.
- 8. Some skills may require that a candidate verbalizes information about a particular task or procedure. In such cases, any question(s) from the Evaluator to the candidate must be limited to those that satisfy the criteria listed on the skill sheet, and a question cannot exceed the scope the Firefighter I requirements.

#### Firefighter I Final Written and Practical Examinations

Following is a brief outline of the reference materials and documents that are used for a Firefighter I final examination:

#### Firefighter I Written Material References

- a. NFPA 1001 Standard for Professional Firefighter Qualifications, 2008 edition
- b. Text (any one of the following)
  - IFSTA, Essentials of Firefighting and Fire Department Operations 5<sup>th</sup> Edition
  - Jones and Bartlett, Fundamentals of Fire Fighter Skills, 2<sup>nd</sup> Edition
  - Delmar, Firefighter's Handbook, 3<sup>rd</sup> Edition

#### **Firefighter I Practical Skills Evaluation References**

- a. NFPA 1001 Standard for Professional Firefighter Qualifications, 2008 edition
- b. Firefighter I Practical Skills Evaluation Sheets (this packet)

#### **Final Examination Steps**

- a. \*Firefighter I Training Record review (this must be completed and signed off by the Accreditation Manager/Training Officer or designee prior to the date of the final examination and reviewed by the CO to ensure all elements are complete.
- b. Certifying Officer reviews and signs candidate Application for Certification
- c. Candidate completes the written examination administered by the CO
- d. Candidate completes the practical examination administered by the CO.
- e. Certifying Officer reviews completed Evaluator skill sheets and transfers information to the <u>Practical Examination Reporting Form</u> (PERF)
- f. Written exam, PERF, and signed application are forwarded to AFSC.
- g. AFSC Firefighter I certificate is issued upon successful completion of the written and practical exam (within approximately 30 days of test date)

\*Note: The candidate's completed Training Record and signed Final Examination skill sheets shall be kept on file in accordance with local fire department procedures.

PRACTICAL SKILL REQUIREMENTS NFPA 1001- 2008 Ed. FFI- 5.1.2A Candidate: Date: **STANDARD:** NFPA 1001: 5.1.2 **SKILL AREA: Personal Protective Equipment** TASK: Don personal protective clothing within one (1) minute: doff personal protective clothing and prepare for **PERFORMANCE OUTCOME:** The candidate shall be able to properly don personal protective clothing in one minute and to prepare the personal protective clothing for reuse. **EQUIPMENT:** Bunker pants, coat, hood, gloves, and helmet. **CONDITIONS:** Given personal protective clothing, the candidate shall demonstrate the ability to: No. **TASK STEPS TEST RETEST 1 RETEST 2** F F DONNING: Don pants and boots (cuffs over boots, suspenders in place, waist 1.  $\Box$ П fastened) Don hood (covering hair, ears, and neck) 2. Don coat (storm flap closed, collar up and secured, cuffs in place) 3. Don helmet (chin strap connected, adequately tightened, ear 4. shroud down) 5. Don gloves (covering wrist completely) Complete above correctly within one (1) minute 6. **DOFFING:** 7. Place all equipment in a ready state for reuse. Retest Evaluator 1: Evaluator: Retest Evaluator 2: Comments:

Date

Overall Skill Sheet Result:

**Pass (P):** ☐ **Fail (F):** ☐

Certifying Officer Name

Certifying Officer Signature

NFP	IFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.1.2B										
Can	didate:						Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.1.2		Skii	L AREA: Rope, K	(nots,	Tool	Hoist	ing		
Tas	<b>K:</b> Hoist a	tool and/or piece of equ	ipment usir	ng th	e correct knot(s).						
		CE OUTCOME: The can tool or piece of equipme							not an	d hois	st or
	<b>EQUIPMENT:</b> Utility rope, forcible entry tools, pike pole, ground ladder, roof ladder, hose line, full protective equipment, and/or appliance.										
Con	CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:										
No.		Task	STEPS			TEST		RETE	EST 1	RETE	EST 2
						Р	F	Р	F	Р	F
	Certifying Officer shall select one of the following tools and/or piece of equipment for final certification examination:										
	<b>b.</b> 🗌 Pi	□ Forcible entry tool □ Pike pole □ Roof ladder □ Roof ladder □ Hose line (Charged) ■ Hose line (Uncharged) ■ Other:									
1.	Tie a fire department approved knot(s) for the tools or equipment selected (i.e. bowline, figure eight on a bite, clove hitch, half hitch, and becket or sheet bend).										
2. 3.	Hoist or h	safety knot for additional nave hoisted a tool and/o ed height.		equip	oment to a						
4.		knot(s) without difficulty.	•								
_					Retest Evaluato	r 1:					
Eva	luator:				Retest Evaluato	r 2:					
Con	nments:										
		Certifying Officer Name			 Date	Ove	erall S	Skill S	Sheet	Res	<u>ult:</u>
	Certifying Officer Signature					Pas	s (P	): 🗆	Fa	ail (F	): □

AFSC FF1PSES V08-7 131118 Page 7 of 58

NFP	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.1.2C										
Can	didate:					Date	e:				
STA	NDARD:	NFPA 1001: 5.1.2	SKII	LL AREA: Respor	nse Inf	forma	tion G	Suidel	ines		
TAS	K: Locate	information in departmental docu	uments	and standard or co	de mat	erials					
	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to locate written documents, policies, procedures, and standard or code materials.										
	EQUIPMENT REQUIRED: Department Standard Operating Procedures and NFPA Standard or Code Book.  CONDITIONS: Given department reference material, the candidate shall demonstrate the ability to:										
No.		TASK STEPS			TEST		RETE	EST 1	RETI	EST 2	
					Р	F	Р	F	Р	F	
1.	Locate a department standard operating procedure (CO may opt for SOP/SOG related to a selected skill station within final exam packet)										
	Certifying Officer shall select one of the following tasks for final certification examination:										
		Standard Co	de Bo	ok							
2.		NFPA standard or code (specific ed by Certifying Officer)	stand	ard or code							
Eva	luator:			Retest Evaluato	r 1:						
				Retest Evaluato	r 2:						
Con	nments:										
		Certifying Officer Name		 Date	Ov	erall S	Skill S	Sheet	Res	ult:	
	Certifying Officer Signature Pass (F						): 🗆	Fa	iil (F	·): 🗆	

NFP	IFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.2.1										
Can	didate:					Date	<b>)</b> :				
STA	NDARD:	NFPA 1001: 5.2.1	SKIL	L AREA: Initiate	Emer	gency	Resp	onse			
comr		e a response to a reported emergents equipment is operated correctly,							tely to	the	
comr	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to operate fire department communications equipment, relay information, and record information.										
	EQUIPMENT REQUIRED: Department SOP/SOG, communication equipment, paper, and pencil.  CONDITIONS: Given a scenario of a reported alarm, the candidate shall demonstrate the ability to:										
No.											
1.	Verbalize how the alarm is received					F	P	F	P	F	
2.	Write proper address and nature of the emergency				H		H	H	H		
3.		contacts dispatch by radio indicat		·							
4.	Notify dis initiated	spatch that a response to the emer	rgency	has been							
Eva	luator:			Retest Evaluato	r 1:						
				Retest Evaluato	r 2:						
Con	nments:										
	Certifying Officer Name  Overall Skill Sheet Result:										
	Certifying Officer Name  Date  Date  Pass (P):   Fail (F):   The part of the control of the cont										

NFP	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.2.2										
Can	didate:				Date	<b>)</b> :					
STA	NDARD:	NFPA 1001: 5.2.2	SKILL AREA: Phone	Opera	tions						
		a fire department phone, receive a he caller's information is relayed.	telephone call, so that pr	ocedur	es for a	answei	ing the	e phor	ne		
	<b>PERFORMANCE OUTCOME:</b> The candidate shall be able to operate fire station telephone and intercom equipment.										
EQUIPMENT: Telephone, paper, and pencil.											
CONDITIONS: Given a real or simulated call from the proctor, the candidate shall demonstrate the ability to:											
No.		TE	ST	RETE	ST 1	RETE	EST 2				
		Р	F	Р	F	Р	F				
1.	Answer t										
2.	Identify himself/herself and the department to the caller										
3.	Ensure paper and pencils (or pen) are available										
4.		appropriate message (e.g.: date, ti umber and person taking call)	me, caller, caller's								
5.		call courteously and in a timely ma									
6.	Deliver a	n message or transfer the call to the	e appropriate person								
<b></b>	lsts		Retest Evaluato	r 1:							
⊑va	luator:		Retest Evaluato	r 2:							
Con	nments:		-								
Certifying Officer Name Date Overall Skill Sheet						Res	ult:				
	Certifying Officer Signature				ss (P	<b>):</b> 🗆	Fa	ail (F	·): 🗆		

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.2.3										
Can	didate:				Date	e:				
STA	NDARD:	NFPA 1001: 5.2.3	SKILL AREA: Radio C	Operat	ions					
		nit and receive messages via the fir	•					ate,		
		CE OUTCOME: The candidate shaurtment etiquette for routine traffic, e	,				•			
<b>EQUIPMENT:</b> Fire department mobile or portable radio, interior structure props (simulating lost/trapped, stuck, falling through a floor, or collapsed on), full protective clothing and SCBA (on air).										
Con	IDITIONS:	Given a simulated fire scenario, the	ne candidate shall demon	strate	the abi	lity to:				
No. TASK STEPS					ST	RETE	EST 1	RETE	EST 2	
						Р	F	Р	F	
	Certifying Officer shall select one of the following tasks for final certification examination:									
	<ul><li>a.  Routine Traffic: Non-emergent situations</li><li>b.  Emergency Traffic: Emergent situations</li></ul>									
1.	Determine there is no other radio traffic before transmitting (unless emergency traffic).									
2.	SCBA).	crophone within 1-2 inches of mouth								
3. 4.	•	almly, clearly, distinctly and at a me a message that is brief, accurate a	· · · · · · · · · · · · · · · · · · ·					┝		
5.		who the message is addressed to	illa to trie politi						Н	
6.	•	he person or unit transmitting				H			H	
7.	Provides	correct information during emerger r mayday).	nt situation (i.e.							
8.	Acknowle	edges information back from comm	and (if applicable).							
Eva	luator:		Retest Evaluato							
Con			Retest Evaluato	r 2:						
CON	nments:									
		Certifying Officer Name	 Date	Ove	erall S	Skill S	Sheet	Res	ult:	
	Certifying Officer Signature				ss (P	): <b>□</b>	Fa	ail (F	·): 🗆	

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.1A											
Can	didate:					Date	<b>)</b> :				
STA	NDARD:	NFPA 1001: 5.3.1	KILL <b>A</b> REA:	Don/Doft Apparati		Conta	ined	Breat	hing		
		CBA during emergency operations, so CBA is correctly worn.	so that the SCI	BA is corre	ectly do	nned a	and ac	tivated	l withi	n 1	
		CE OUTCOME: The candidate shall dures within one (1) minute.	l demonstrate	the ability	to: cor	rectly c	comple	te SCI	ЗА		
ΕQU	EQUIPMENT: Complete SCBA ensemble and full bunker gear.										
all ta	CONDITIONS: Given a non-fire ground environment, the candidate shall demonstrate the ability to complete all task steps.  SCBA donning starts when indicated by the Evaluator and ends when the candidate indicates completion The candidate must successfully complete all of steps 2-9 within one [1] minute All procedures must adhere to the fire department procedure and manufacturer's specifications										
No.	No. TASK STEPS					ST	RETE	ST 1	RETE	ST 2	
						F	Р	F	Р	F	
1.	Verify that the SCBA is ready for service and confirm the amount of air in the cylinder is above minimum acceptable level										
	DONNING	<u> </u>	DIE IEVEI								
2.	_	don SCBA backpack assembly					П		П		
3.		BA cylinder valve									
4.	Check ga	auge for operation and verify air cylin	nder pressure								
5.	Verify ac	tivation and operation of pass device	е								
6.	Correctly	don face piece									
7.	Check fa	ce piece seal and operation of exhal	lation valve								
8.	Connect	face piece to air supply/regulator									
9.		personal protective clothing correctly	<u> </u>								
10.	,	accomplished above steps within or	ne (1) minute								
	DOFFING	<b>5</b> :									
11.	Remove	SCBA and place all equipment in a	ready state for	reuse							
Eva	luator:			Evaluato Evaluato							
Con	nments:										
		Certifying Officer Name		 Date	Ove	erall S	Skill S	Sheet	Res	ult:	
	C	ertifying Officer Signature		Pas	s (P	): □	Fa	il (F	): 🗌		

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.1B1										
Can	ndidate:		Date	<b>e</b> :						
STA	NDARD: NFPA 1001: 5.3.1  SKILL AREA: Use Selling Appara				_	ng				
techr	<b>K:</b> Use SCBA during emergency operations, so that the SCBA is corniques are used, emergency procedures are enacted if the SCBA fails iratory protection is not intentionally compromised.						zed,			
SCB	RFORMANCE OUTCOME: The candidate shall demonstrate the ability to: control breathing while using the BA; initiate and complete emergency procedures in the event of SCBA failure or air depletion; recognize all -air warnings, and replace SCBA air cylinders.									
Equ	IIPMENT: Complete SCBA ensemble and full bunker gear.									
task	IDITIONS: Given a non-fire ground environment the candidate shall of steps.  All procedures must adhere to the fire department procedure and mare					omplet	te all			
		1								
No.	TASK STEPS	TE	ST	RETE	EST 1	RETE	EST 2			
		Р	F	Р	F	Р	F			
1.	Recognize and acknowledge all low air warning alarms									
	CONSERVATION OF AIR:									
	Demonstrate controlled breathing: (e.g., Inhale									
2.	through the nose, exhale through the mouth, and									
	control rate of breathing)									
3.	Demonstrate skip breathing: (e.g., take a regular breath and hold, take another breath, exhale, and repeat)									
	SCBA FAILURE: Air Delivery System-									
4.	Check regulator/open bypass									
5.	Check that the low pressure line between regulator and pressure reducer is intact									
6.	Check cylinder valve making certain it is fully open									
	Regulator Failure-									
7.	Close mainline if present									
8.	Open by-pass slowly									
9.	Close by-pass after each breath									
10.	Open bypass for next breath									
	DEPLETION OF AIR SUPPLY:									
	Out of air with no air resupply available-									
11.	Activate pass device		Ш		Ш	┢╙	Ш			
12.	Establish filter breathing ( <i>if compatible with SCBA design</i> ) while staying as low as possible									
13.	Exit hazardous area rapidly	$\dagger$	П	П	П		П			
	Out of Air – Emergency Breathing Safety System Available (if present on SCBA):-									
13.	Attach Emergency Breathing Safety System hose to SCBA unit needing assistance									
14.	Exit hazardous area prior to air depletion									

AFSC FF1PSES V08-7 131118 Page 13 of 58

NFP	PA 1001- 2	MENT	S		FFI- 5.3.						
No.		TASK STEPS		TE	ST	RETE	EST 1	RETEST 2			
				Р	F	Р	F	Р	F		
	Out of a atmosph	ir with full cylinder available (non ha. ere)-	zardous								
15.	Doff bac	kpack (skip if changing cylinder on a te	am member)								
16.	Close cy	linder valve and release pressure									
17.	Disconne	ect hose/pack assembly from cylinder									
18.	Remove depleted cylinder										
19.	Replace with cylinder containing air										
20.	Connect hose/pack assembly to cylinder										
21.	Turn on cylinder and check regulator pressure										
22.	, , ,										
			· · · · · · · · · · · · · · · · · · ·					l.			
 	luator:		Retest Evaluato	r 1:							
Eva	iluator.		Retest Evaluato	r 2:							
Con	nments:										
	Certifying Officer Name Date					Overall Skill Sheet Result:					
	Certifying Officer Signature				s (P	): 🗆	Fa	ail (F	<b>):</b> 🗌		

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.1C1									
Candidate:		Date:							
<b>STANDARD:</b> NFPA 1001: 5.3.1	SKILL AREA: Use Self Contain Apparatus- Rest								
<b>TASK:</b> Given SCBA and other personal protective equipment, use SCBA during emergency operations, so that the SCBA is correctly worn, emergency procedures are enacted if the SCBA fails, all low-air warnings are recognized, respiratory protection is not intentionally compromised, and hazardous areas are exited prior to air depletion.									
<b>PERFORMANCE OUTCOME:</b> While operating ability to recognize all low-air warnings and exit									
<b>EQUIPMENT:</b> Complete SCBA ensemble, full b	ounker gear, and prop for restricted o	ppening.							
CONDITIONS: Given a non-fire ground enviror demonstrate the ability to complete all task step  The candidate must have full PPE and be o  All procedures must adhere to the fire depart	s. n SCBA air before completing the res	stricted passage steps							

No.	TASK STEPS	TE	ST	RETE	EST 1	RETE	EST 2
		Р	F	Р	F	Р	F
	RESTRICTED PASSAGE: Demonstrate the ability to maneuver through a restricted passage while using SCBA (on air) while utilizing one of the two methods (chosen by candidate) listed below:						
	Remove the Backpack Method:						
1.	Remove SCBA backpack, not compromising face-piece seal or ability to breathe						
2.	Push backpack through opening, not compromising SCBA operation						
3.	Enter opening and proceed through opening completely						
4.	Redon SCBA backpack assembly						
5.	Ensure that mask seal or SCBA functioning was not compromised during maneuver						
6.	Exit hazardous area prior to air depletion						
	Reduce Profile Method:						
1.	Loosen straps as necessary to reduce profile by sliding tank to side						
2.	Reduce profile further by removing one or both backpack harness straps (ONLY if necessary to maneuver through passage)						
3.	Enter opening and proceed through opening completely						
4.	Redon/Secure SCBA backpack assembly to body						
5.	Ensure that mask seal or SCBA functioning was not compromised during maneuver						
6.	Exit hazardous area prior to air depletion						

NFPA 1001- 2008 Ed.		PRACTICAL S	MENTS	FFI- 5		
Evolueter			Retest Evaluato	r 1:		
Evaluator:			Retest Evaluato	r 2:		
Comments:						
	Certifying Officer Name		Date	Overall SI	kill Sheet R	<u>esult:</u>
	ertifying Officer Signature	9		Pass (P):	☐ Fail	(F): □

NFP	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.2										
Can	didate:						Date	<b>e</b> :			
STA	NDARD:	NFPA 1001: 5.3.2	SKILL	AREA:	Appara	tus Re	espon	se			
dism		and on an apparatus to an emergen eat belts are used while the vehicle									
and t	PERFORMANCE OUTCOME: The candidate shall be able to respond safely in a fire department apparatus and to safely dismount at the emergency scene while demonstrating the ability to use each piece of provided safety equipment.										
in en	<b>EQUIPMENT:</b> Fire apparatus, personal protective equipment, hearing protection, eye protection ( <i>for those not in enclosed cabs</i> ), and SCBA's for departments/organizations that allow or require firefighters to don SCBA's while in route to the emergency.										
Con	CONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:										
No.	No. TASK STEPS TEST 1 RETEST 2									ST 2	
						Р	F	Р	F	Р	F
	Mounting:										
1.	Properly don personal protective clothing										
2.	State that	at the vehicle is not in motion									
3.	Mount fir	e apparatus using handrails									
4.		or, safety bar, gate to cab or compa	artmen	it							
5.		asten seat belt									
6.	Correctly	use any other personal protective	equipn	nent furni	shed						
	DISMOU	NTING:									
7.	Wait for	order(s) before leaving apparatus									
8.	State tha	at vehicle is completely stopped bef	fore lea	ving appa	aratus						
9.	Look for	hazards before stepping off vehicle	9								
10.	Safely st	ep from vehicle using handrails									
Fva	luator:		1	Retest E	valuato	r 1:					
	idator.		I	Retest E	valuato	r 2:					
Con	nments:										
	Certifying Officer Name  Date  Overall Skill Sheet Result:										
	Cartifying Officer Signature					Pas	ss (P	): [	Fa	iil (F	): []

AFSC FF1PSES V08-7 131118 Page 17 of 58

NFP	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.3									
Can	Candidate:					<b>e</b> :				
STA	NDARD:	NFPA 1001: 5.3.3	SKILL AREA: Emerge	ency S	Scene	Oper	ations	;		
scen worn	<b>TASK:</b> Establish and operate in work areas at emergency scenes, structure fire and roadway emergency scenes, traffic hazards and downed electrical wires, so that procedures are followed, protective equipment is worn, protected work areas are established, and the candidate performs assigned tasks only in established, protected work areas.									
and s	PERFORMANCE OUTCOME: The candidate shall be able to use personal protective equipment, deploy traffic and scene control devices, dismount apparatus, and safely operate in the protected work areas as appropriate.  EQUIPMENT: Fire apparatus, personal protective equipment, and traffic control devices.									
Con	DITIONS:	Given a scenario within an emerge shall demonstrate the ability to:	<u> </u>				ghway	traffic	),	
No.		TASK STEPS		TE	ST	RETE	EST 1	RETE	ST 2	
				Р	F	Р	F	Р	F	
		ng Officer shall select one of the force of	ollowing scenarios							
	b.	Structure fire scene Roadway emergency scenes with tra Downed electrical lines Other (specify):	affic hazards							
1.	Survey e SOP's	mergency scene for hazards accord	ding to department							
2.	, ,	otential for injury based on identified	d hazards							
3.		e a plan for mitigation of hazards	and and							
4. 5.	Using tra	dismounts apparatus with PPE correffic cones, and verbalizing the place a safe work area								
6. 7.	hazards,	e how structure, roadway emergency and downed power lines would be to edynamic nature of scene safety (or	treated and isolated							
8.		measures to ensure continued scer	•	H	╁	H	H	H	$\dashv$	
Eva	luator:		Retest Evaluato Retest Evaluato							
Con	nments:		<b>-</b>							
	Certifying Officer Name  Overall Skill Sheet Result:									
	С	ertifying Officer Signature		Pas	ss (P	): <b>□</b>	Fa	iil (F	): []	

NFPA 1001- 2008 Ed.	PRACTIC	AL SKILL REQUIREMENT	S FFI- 5.3.4a
Candidate:			Date:
<b>STANDARD:</b> NFPA 1001: 5.3.4		SKILL AREA: Forcible Entr	у
TASK: Force entry into a structure opening is in a safe condition and r			arrier is removed, and the
PERFORMANCE OUTCOME: The power tools and to force entry through			
<b>EQUIPMENT:</b> Personal protective for a door, window, and wall breach			ols, and forcible entry prop
<b>CONDITIONS:</b> Given a simulated	fire scenario, t	the candidate shall demonstrate t	he ability to:

No.	TASK STEPS	TEST		RETE	ST 1	RETI	EST 2
		Р	F	Р	F	Р	F
	Certifying Officer shall select one of the following scenarios for final certification examination:						
	a.						
	<b>b.</b> Force entry through window						
	c.  Force entry through wall						
	a. Door:						
1.	Select the correct tool(s)						
2.	Safely carry the selected tool(s) to the door						
3.	Try the door to verify it is locked before forcing						
4.	Correctly size up the door						
5.	Choose an appropriate technique and demonstrate or simulate forced entry						
6.	Use hand and eye protection						
7.	Clear opening all of obstacles						
	b. WINDOW:						
1.	Select the correct tool(s)						
2.	Safely carry the selected tool(s) to the window						
3.	Try the window to verify it is locked before forcing						
4.	Correctly size up the window						
5.	Choose an appropriate technique and demonstrate or simulate forced entry						
6.	Use hand and eye protection						
7.	Clear opening all of obstacles						

NFP	A 1001- 2	2008 Ed. <b>PR</b>	REME	NTS		F	FFI- 5.3.4b			
No.	. TASK STEPS					EST	RETE	EST 1	RETI	EST 2
		VALL:				F	Р	F	Р	F
	c. WALL	•								
1.	Correctly	size up the wall to be bro	eached							
2.	Identify of	common breaching hazar	ds							
3.	Select th	e correct tool(s) for the ty	pe of wall							
4.	Sound for stude (if appropriate) and choose an appropriate									
5.	Use hand and eye protection									
6.	Make an	lake an appropriate sized opening								
7.	Clear the									
Eva	luator:			Retest Evalua						
Con	nments:					-				
	Certifying Officer Name  Date  Overall Skill Sheet Result:									
	Certifying Officer Signature  Pass (P):   Fail (F):									

NFP	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.5											
Can	Candidate: Date:											
STA	NDARD:	NFPA 1001: 5.3.5	SKILL AREA: Exit Ha	zardo	us En	viron	ment					
	<b>TASK:</b> Exit a hazardous area as a member of a team, so that a safe haven is found before exhausting the air supply, others are not endangered, and the team integrity is maintained.											
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to operate as a team member in vision-obscured conditions, locate and follow a guideline, conserve air supply, and evaluate areas for hazards and identify a safe haven.												
	<b>EQUIPMENT:</b> Personal protective equipment, SCBA (on air), hand tools, obscured vision, and hose line/guideline.											
	CONDITIONS: Given a simulated fire scenario and as a member of a team with vision-obscured conditions, the candidate shall demonstrate the ability to:											
No.		TASK STEPS		TE	ST	RETE	EST 1	RETI	EST 2			
				Р	F	Р	F	Р	F			
1.	Determin atmosph	ne air supply available when entering ere	g hazardous									
2.		he air supply available while in haza										
3.	of air sup	he need to leave hazardous atmospoply while maintaining team integrity										
4.		nicate need for egress with team me										
5.	travel for											
6.		ose line or guideline towards exit wi										
7.		ardous atmosphere with all team me of air supply	embers before									
Fva	luator:		Retest Evaluate	or 1:								
⊑va	iuator:		Retest Evaluate	or 2:								
Con	nments:			•								
				014	orell (	er:::: (	Shoo!					
	Certifying Officer Name  Date  Overall Skill Sheet Result:											
	Certifying Officer Signature  Pass (P):   Fail (F):											

NFPA 1001- 2008 Ed. <b>PRACTICA</b>	AL SKILL REQUIREMENT	S FFI- 5.3.6a						
Candidate:		Date:						
<b>STANDARD:</b> NFPA 1001: 5.3.6	SKILL AREA: Ground Ladd	ers						
<b>TASK:</b> Set up ground ladders, so that hazards are assessed, the ladder is stable, the angle is correct for climbing, extension ladders are extended to the necessary height with the fly locked, the top is placed against a reliable structural component, and the assignment is accomplished.								
<b>PERFORMANCE OUTCOME:</b> The candidate shall be able to demonstrate the ability to carry ladders, raise ladders, extend ladders and lock flies, determine that a wall and roof will support the ladder, judge extension ladder height requirements, and place the ladder to avoid obvious hazards.								
<b>EQUIPMENT:</b> 24' or 35' extension ladder, and ful	Il personal protective clothing, ar	nd SCBA.						
CONDITIONS: Given a simulated fire scenario an	nd a team, the candidate shall de	monstrate the ability to:						

No.	TASK STEPS	TEST		RETE	ST 1	RETE	EST 2
		Р			F	Р	F
	Certifying Officer shall select one of the following scenarios for final certification examination:						
	<ul> <li>a.  Window Ventilation: Place along side to windward (upwind) side, with tip even or above top of window.</li> <li>b.  Rescue from window or entry through window: Place slightly below sill or 2-3 rungs into window if opening is wide enough to allow room beside ladder to rescue or entry.</li> <li>c.  Work with hose with no entry: Tip placed on wall above window opening if no flames from window or at sill if flames out window.</li> <li>d.  Access roof: Place ladder to access roof with 3-5 rungs above the roof edge or point of contact.</li> </ul>						
	DEPLOY, RAISE, AND EXTEND LADDER						
1.	Select the proper length ladder for the designated task						
2.	Coordinate with team member to correctly lift/carry the ladder from the designated area or apparatus to the area of deployment (check method utilized):  Low shoulder High Shoulder Arms length Flat						
3.	Visually check work area for hazards and state if area is safe or if hazards exist						
4.	Determine ladder placement and verify that the wall/roof will support ladder						
5.	Raise the ladder (beam or flat) and ensure proper fly orientation						
6.	Extend fly section to proper height and ensure fly is locked (if using an extension ladder)						
7.	Lower ladder against stable wall or surface and secure halyard						
8.	Adjust ladder for proper climbing angle and ensure placement for given task						
9.	Position ladder correctly for task given						

PRACTICAL SKILL REQUIREMENTS NFPA 1001- 2008 Ed. FFI- 5.3.6b No. TASK STEPS **TEST** RETEST 1 RETEST 2 Ρ F F Ρ F RETRACT, LOWER, AND RETURN LADDER Move top of ladder away from building, release halyard, locks, and 10. correctly lower fly(s) 11. Lower ladder to ground (reversing raising procedures) Coordinate with team member to lift/carry the ladder from the deployment area to the designated area or apparatus (check 12. method utilized): ☐ Low shoulder ☐ High Shoulder ☐ Arms length ☐ Flat Retest Evaluator 1: **Evaluator:** Retest Evaluator 2: Comments: Overall Skill Sheet Result: Certifying Officer Name Date **Pass (P):** ☐ **Fail (F):** ☐ Certifying Officer Signature

INFP	A 1001- 2	2006 Ed. PRACTICA	L SKILL REQUIRE	VI E IV I	<u> </u>		<u></u>	<u> FFI- 5</u>	<u>.3.7</u>			
Can	Candidate: Date:											
STANDARD: NFPA 1001: 5.3.7 SKILL AREA: Vehicle Fire Attack												
leaki	<b>TASK:</b> Attack a passenger vehicle fire while operating as a member of a team, so that hazards are avoided, leaking flammable liquids are identified and controlled, protection from flash fires is maintained, all vehicle compartments are overhauled, and the fire is extinguished.											
<b>PERFORMANCE OUTCOME:</b> The candidate, while operating as a member of a team, shall demonstrate the ability to identify automobile fuel type; assess and control fuel leaks; open, close, and adjust the flow and pattern on the nozzles; apply water for maximum effectiveness while maintaining flash fire protection; advance attack lines; and expose hidden fires by opening all automobile compartments.												
<b>EQUIPMENT:</b> Hose lines, fire apparatus, personal protective equipment, SCBA (on air), hand tools, automobile, light truck or van, and dedicated safety line personnel.												
Con	IDITIONS:	Given a simulated vehicle fire, the	candidate shall demonst	trate th	e abilit	y to:						
No.	No. TASK STEPS TEST RETEST 1 RETEST 2											
				Р	F	Р	F	Р	F			
1.	Properly	wear full protective clothing and SC	BA (on air)									
2.	Select at	least 1 ½ inch hose line, bleed line,	and adjust nozzle									
3.		om upwind and uphill (verbalize cond ed if not applicable)	ditions were									
4.		exposures (if present)										
5.		n vehicle from side or 45 degree ang until cooled) adjusting nozzle flow a n										
6.	•	ossible fuel types and methods for o	controlling fuel leaks									
7.		sh ground fire around and under the										
8.		all hidden fire and open all compartmes and extinguish remaining fires wit										
9.	Overhau	I the fire scene and preserve eviden	ce if indicated									
Eva	luator:		Retest Evaluato	r 1:								
			Retest Evaluato	r 2:								
Con	nments:											
	Certifying Officer Name  Date  Overall Skill Sheet Result:											
	Certifying Officer Signature  Pass (P):   Fail (F):											

AFSC FF1PSES V08-7 131118 Page 24 of 58

NFP	PA 1001- 2	2008 Ed. PRACTICA	L SKILL REQUIRE	MENT	S		F	FFI- 5	.3.8		
Can	Candidate: Date:										
STA	NDARD:	NFPA 1001: 5.3.8	SKILL AREA: Exterio	r Fire	Attacl	K					
stop	ped, collap	uish a fire in exterior Class A materi se hazards are avoided, water appl nd arson are preserved.									
relate tools	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to recognize inherent hazards related to the material's configuration, operate hand lines or master streams, break up material using hand tools and water streams, evaluate and modify water application for maximum penetration, search for and expose hidden fires, assess patterns for origin determination, and evaluate for complete extinguishment.										
inch) equi	<b>EQUIPMENT:</b> Stack of Class A material or unattached structure or storage container, hose lines (min. 1 ½ inch), hand tools, dedicated safety line with personnel, fire/pumper apparatus, and full personal protective equipment with SCBA (on air).										
CON	IDITIONS:	Given a simulated exterior Class A	A fire, the candidate shall	aemor	nstrate	tne an	ollity to	: 			
No.		TASK STEPS		TE	ST	RETE	EST 1	RETE	EST 2		
				Р	F	Р	F	Р	F		
1.	Describe	inherent hazards related to burning	material configuration								
2.	Select ar	nd deploy the appropriate size hose	line								
3.	Attack fro	om upwind and uphill or flanks (verb	palize if not applicable)								
4.	Bleed air effective	from hose line and adjust nozzle for ness	or maximum								
5.	Protect e	xposures (if present)									
6.	Break-up	burning material using hand tools	and water streams								
6.	Search fo	or and expose hidden fires									
7.	Extinguis	h the fire									
8.		fire scene while protecting and pre if present	serving signs of cause								
Eva	luator		Retest Evaluato	r 1:							
L∨a	luator:		Retest Evaluato	r 2:							
Cor	nments:			1							
		Certifying Officer Name	Date	Ove	erall S	Skill S	Sheet	<u>Res</u>	<u>ult:</u>		
	Certifying Officer Signature Pass (P):   Pass (P):   Fail (F):										

AFSC FF1PSES V08-7 131118 Page 25 of 58

NFP	A 1001- 2008 Ed. PRACTICAL SKILL REQUIRE	MENT	S		FI	FI- 5.	3.9a		
Can	didate:		Date	<b>e</b> :					
STA	NDARD: NFPA 1001: 5.3.9 SKILL AREA: Interio	r Searc	ch and	d Res	cue				
corre	<b>K:</b> Conduct a search and rescue in a structure operating as a member actly placed when used, all assigned areas are searched, all victims are rity is maintained, and team member's safety – including respiratory p	e locate	ed and	remov	ed, te	am			
restr	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate to the ability to use an SCBA to exit through restricted passages, set up and use different types of ladders for various types of rescue operations, rescue a firefighter and non-firefighter victim, and assess areas to determine tenability.								
	IPMENT: Full personal protective clothing including SCBA (on air), valight, hose line, various hand tools, and rescue mannequin.	arious s	ize lad	ders, p	oortabl	e radio	Ο,		
	IDITIONS: Given a scenario with obscured visibility and a team membility to:	oer, the	candio	date sh	all der	nonsti	rate		
No.	TASK STEPS	TE	ST	RETI	EST 1	RETE	EST 2		
		Р	F	Р	F	Р	F		
	Certifying Officer shall select one of the following scenarios for final certification examination:								
	a. Person without respiratory protection								
	<b>b.</b> Fire Fighter with functioning SCBA								
	c.  Fire Fighter with non-functioning SCBA								
	<b>d.</b> Perform emergency egress through a restricted passage while using an SCBA (on air)								
1.	Size up the problem and select the appropriate tool(s) and equipment								
2.	Ladders are correctly placed for assignment (if warranted by scenario)								
3.	Correctly open all doors (feeling for heat and opening slowly, keeping control of the door) or windows								
4.	Establish, maintain, and search in an effective pattern (i.e. left-hand or right-hand)								
5.	Searching in a body position appropriate for the conditions								
6.	Use hose line effectively (if applicable)								
6.	Find and remove victim using appropriate techniques								
7.	Complete the primary search.								
	Maintain team integrity, communication, and safety throughout								

search

NFPA 1001- 2	2008 Ed.	PRACTICAL S	KILL REQUIREM	MENTS	FFI- 5.3.9b
Evaluator:			Retest Evaluator	· 1:	
Evaluator.			Retest Evaluator	· 2:	
Comments:					
	Certifying Officer Name		Date	Overall Skill S	heet Result:
	Certifying Officer Signature			Pass (P): ☐	Fail (F):□
C	erinying Onicer Signature	7		` '	` '

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.10A																		
Can	andidate: Date:																	
STAI	NDARD:	NFPA 1001: 5.3.10 S	KILL AREA: Interior	Fire A	Attack	- Grad	de Le	vel										
main	tained, ac	a grade level interior structure fire op cess is gained into the fire area, attac d controlled, hazards are recognized a	k techniques facilitate s	suppres	ssion c	f the fi	re, hid	den fii										
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: correctly open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; couple and uncouple various hand line connections; carry hose; and correctly attack fire at grade level.																		
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA (on air), hose line (min. 1 ½"), hand tools, portable radio, flashlight, various size ladders, and fire/pumper apparatus.																		
	CONDITIONS: Given a grade level simulated structure fire and a team, the candidate shall demonstrate the ability to:																	
No.		TASK STEPS		TE	ST	RETE	ST 1	RETE	ST 2									
				Р	F	Р	F	Р	F									
	GRADE L	EVEL FIRE																
1.	Properly	wear full protective clothing and SCB	A (on air)															
2.		deploy and charge hose line for fire a	, ,															
3.	Properly	bleed hose line, adjust nozzle, and pr	revent water hammer															
4.	Check do	oor before entering and sound floor fo	or stability															
5.	Stay low	upon entry and approaching fire																
6.	Attack ar	nd extinguish the fire using an approp	riate attack method.															
7.	Demonst	rate the following attack methods:  CT	COMBINATION															
8.		I fire scene while protecting and prese (if present)	erving signs of cause															
_	l 4		Retest Evaluator	r 1:														
Eva	luator:		Retest Evaluator	r 2:														
Con	nments:																	
	Certifying Officer Name  Date  Overall Skill Sheet Result:																	
	C	ertifying Officer Signature		Pas	s (P	): 🗆	Fa	iil (F	Certifying Officer Name  Certifying Officer Signature  Date  Pass (P):   Fail (F):									

AFSC FF1PSES V08-7 131118 Page 28 of 58

PRACTICAL SKILL REQUIREMENTS

FFI- 5.3.10B<sub>1</sub>

NFPA 1001- 2008 Ed.

Can	didate:	Date:								
STA	STANDARD: NFPA 1001: 5.3.10  GENERAL SKILL: Interior Fire Attack- Above Grade									
<b>TASK:</b> Attack an above grade interior structure fire operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement, ladders are correctly placed, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement										
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: prevent water hammer when closing nozzles; open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and uncharged hose line; operate charged hose line while secured to ladder; couple and uncouple various hand line connections; carry hose; and attack an above grade level (2 <sup>nd</sup> floor or above) fire.										
porta	<b>EQUIPMENT:</b> Full personal protective equipment with SCBA (on air), hose line (min. 1 ½"), hand tools, portable radio, flashlight, various size ladders, and fire/pumper apparatus. ( <i>Note: If a standpipe is available, then hotel/high rise hose packs, a gated wye, a spanner wrench will be needed)</i>									
<b>CONDITIONS:</b> Given a above grade level simulated structure (2 <sup>nd</sup> floor or above) fire and a team, the candidate shall demonstrate the ability to:										
No.	TASK STEPS	TE	ST	RETE	ST 1	RETE	RETEST 2			
		Р	F	Р	F	Р	F			
	ABOVE GRADE LEVEL FIRE									
1.	Properly wear full protective clothing and SCBA (on air)									
2.	Properly place ladder or ensure ladder is placed to fire floor level (if applicable) for access, secondary egress or fire attack.									
3.	Properly deploy and charge hose line for fire attack (check one option):  If standpipe present: Connect hose to standpipe one floor below and advance to the doorway of the fire floor, flaking excess up stairway going to upper floor (if present).  If no standpipe present: Lay hose to the doorway of the fire floor, flaking excess up stairway going to upper floor (if present)									
4.	Properly bleed hose line, adjust nozzle, and prevent water hammer						П			

☐ COMBINATION

Check door before entering and sound floor for stability

Attack and extinguish the fire using an appropriate attack method.

Overhaul fire scene while protecting and preserving signs of cause

☐ INDIRECT

Stay low on entering and approaching fire

Demonstrate the following attack methods:

6. 7.

8.

9.

☐ DIRECT

or origin (if present)

NFPA 1001- 2	2008 Ed. <b>PRAC</b>	TICAL SKILL REQUIREMENTS	FFI- 5.3.10B <sub>2</sub>
Evaluator:		Retest Evaluator 1:	
Evaluator:		Retest Evaluator 2:	
Comments	);		
	Certifying Officer Name	Overall :	Skill Sheet Result:
	Certifying Officer Signature	Pass (P	): ☐ Fail (F): ☐

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.10C									
Candidate: Date:									
STA	NDARD: NFPA 1001: 5.3.10	NERAL SKILL: Inte	rior Fi	re Att	ack-	Below	Gra	de	
main facilit	<b>TASK:</b> Attack a below grade interior structure fire operating as a member of a team, so that team integrity is maintained, the attack line is deployed for advancement, access is gained into the fire area, attack techniques facilitate suppression of the fire, hidden fires are located and controlled, hazards are recognized and managed, and the fire is brought under control.								
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to: open, close, and adjust nozzle flow and patterns; apply water using water using direct, indirect, and combination attacks; advanced charged and/or uncharged hose line; couple and uncouple various hand line connections; carry hose; and attack below grade level (basement or cellar) fire.									
	<b>IPMENT:</b> Full personal protective equipment with , flashlight, various size ladders, and fire/pumper		line (m	in. 1 ½	½"), har	nd tool	s, port	able	
CONDITIONS: Given a below grade level simulated structure fire and a team, the candidate shall demonstrate the ability to:									
No.	TASK STEPS			TEST		EST 1	RETEST		
			Р	F	Р	F	Р	F	
	BELOW GRADE LEVEL FIRE								
1.	Properly wear full protective clothing and SCBA	` '					Щ	$\dashv$	
2.	Properly deploy and charge hose line for fire att			Ш	Ш	Ш	Ш		
3.	Properly bleed attack line, adjust nozzle, and pr hammer	revent water							
4.	Ventilate or call for ventilation above fire (if poss	<i>'</i>							
5.	Check door before entering and sound floor for	•						$\Box$	
5.	Descend stairs safely and quickly when ventilat	·		Ш	Ш		Ш		
7.	At bottom of stairs search for and correctly extir appropriate attack method	nguish the fire using							
8.	Demonstrate the following attack methods:  ☐ DIRECT ☐ INDIRECT	☐ COMBINATION							
9.	Overhaul fire scene while protecting and preser or origin (if present)	ving signs of cause							
Evo	luctor	Retest Evaluato	r 1:						
□⊑Va	luator:	Retest Evaluator	r 2:						
Con	nments:	•							
		1	_						
	Certifying Officer Name	 Date	Ove	erall S	Skill (	Sheet	Res	ult:	
	Certifying Officer Signature Pass (P):   Pass (P):   Fail (F):								

ALASKA FIREFIGHTER IT RACTICAL SKILLS EVALUATION TACKET											
NFP	A 1001- 2008 Ed. PRACTICAL SKIL	L REQUIREN	/IENT	S		FFI-	<u>5.3.1</u>	0D1			
Can	Candidate:				Date:						
STAI	STANDARD: NFPA 1001: 5.3.10 SKILL AREA: Extend or Replace Hose Section										
	<b>TASK:</b> Extend or replace a hose line as a member of a team, so that team integrity is maintained, hose sections are added or replaced on a charged line, and all sections of hose are recharged.										
hose	PERFORMANCE OUTCOME: The candidate shall demonstrate the ability to: stop water flow in a charged hose and add a section of hose on a charged line, or replace a damage section of hose; couple and uncouple various hand line connections; carry hose; recharge hose line, and ensure all connections are tightened.										
	<b>IPMENT:</b> Full personal protective equipment with SCI light, hose clamp, various hose appliance/tools, hose of							dio,			
Con	DITIONS: Given a charged hoseline, the candidate sh	all demonstrate	the ab	ility to:							
No.	TASK STEPS		TE	EST RETE		ST 1	RETE	ST 2			
			Р	F	Р	F	Р	F			
	Certifying Officer shall select one of the following final certification examination:	tasks for									
	a. Extend a section of fire hose										
	<b>b.</b> Replace a section of damaged/burst fire hose										

П

AFSC FF1PSES V08-7 131118 Page 32 of 58

**EXTEND A SECTION OF FIRE HOSE** 

Correctly apply hose clamp

replace nozzle (if applicable)

Ensure nozzle is closed and is secure

REPLACE A SECTION OF FIRE HOSE

Ensure nozzle is closed and is secure

Correctly apply hose clamp

1. 2.

3.

4.

5.

6.

7.

8.

1.

2.

3.

4.

5. 6.

7.

8.

Properly wear full protective clothing and SCBA (off air)

Bleed pressure and undo coupling or remove nozzle

slowly open hose clamp to avoid water hammer

Properly wear full protective clothing and SCBA (off air)

Replace damaged hose section and tighten coupling

Slowly open hose clamp to avoid water hammer

Stage replacement hose section near damaged hose section

Bleed pressure, undo couplings, and remove damaged hose

Correctly restore water flow at nearest appliance or source, or,

Verify pressure at the nozzle and that all connections are tightened

Select hose section to be added to line and place it in position

Correctly shut down water flow at nearest appliance or source; or,

Extend hose length by at least one section, tighten couplings, and

Correctly restore water flow at nearest appliance or source: or.

Verify pressure at the nozzle and that all connections are tightened

Correctly shut down water flow at nearest appliance or source; or,

NFPA 1001- 2008 Ed.	PRACTICAL	SKILL REQUIRE	MENTS	FFI- 5.3.10D2
Evaluator:		Retest Evaluato	r 1:	
Evaluator:		Retest Evaluato	r 2:	
Comments:		•		
Certifying Office	er Name	 Date	Overall Sk	ill Sheet Result:
Certifying Office	r Signature		Pass (P):	☐ Fail (F): ☐

NFPA 1001- 2008 Ed.

#### PRACTICAL SKILL REQUIREMENTS

FFI- 5.3.11a

Candidate:	Date:					
<b>STANDARD:</b> NFPA 1001: 5.3.11	GENERAL SKILL: Horizontal Ventilation					
<b>TASK:</b> Perform horizontal ventilation on a structure operating as part of a team, so that the ventilation openings are free of obstructions, tools are used as designed, ladders are correctly placed, ventilation devices are correctly placed, and the structure is cleared of smoke.						
<b>PERFORMANCE OUTCOME:</b> While operating as a member of a team, the candidate shall demonstrate the ability to transport and operate ventilation tools and equipment; clear an opening with hand tools; select, carry, deploy, and secure ground ladders for ventilation activities ( <i>if applicable</i> ); and carry ventilation tools and equipment while ascending and descending ladders ( <i>if applicable</i> ).						
<b>EQUIPMENT:</b> Full personal protective equipment with SCBA (on air as determined by Certifying Officer), hose line, hand tools, pike pole, ladder, positive pressure fan, and/or smoke ejector.						
CONDITIONS: Given a simulated fire scenario a	and a team, the candidate shall demonstrate the ability to:					

No.	TASK STEPS	TE	ST	RETE	EST 1	RETE	ST 2
		Р	F	Р	F	Р	F
	BREAK WINDOW OR DOOR GLASS FOR VENTILATION						
1.	Appropriately place ladder (if needed)						
2.	Choose proper tool for task and carry tool safely						
3.	Assume proper position						
4.	Break glass and remove any remaining obstructions from opening						
	FORCED VENTILATION- Certifying Officer shall select one of the following ventilation techniques for final certification examination:						
	☐ Positive						
1.	Properly place fan in front of adequate entry point						
2.	Ensure exit point is no larger than entrance opening, or in accordance with fan manufacturer's recommendation						
3.	Start fan, open entry point (block open if necessary) and ensure that the cone of air covers entire opening						
	☐ Negative						
1.	Remove objects that might be drawn into fan (curtains, drapes, etc.)						
2.	Properly place fan in exhaust opening by hanging from window or door casing, door edge (with door blocked open), or from leaning ladder over opening						
3.	Create an entrance opening preferably on upwind side of building						
4.	Start fan and prevent churning by covering the area around fan with salvage covers or other material						
	☐ Hydraulic						
1.	Remove objects that might be drawn into fan (curtains, drapes, etc.)						
2.	Adjust fog pattern to cover 85-90% of opening						
3.	Place nozzle at least 2 feet back from opening						

NFPA 1001-	2008 Ed.	PRACTICAL	SKILL REQUIRE	MENTS	FFI- 5.3.11b
Evaluator:			Retest Evaluato	r 1:	
Evaluator.			Retest Evaluato	r 2:	
Comments	•				
Certifying Officer Name			Date	Overall Skill	Sheet Result:
				Bees (B). □	<b>F</b> oil <b>(F).</b> □
	Certifying Officer Signatur	e	<del></del>	_ Fass (P): □	Fail (F): ☐

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.3.12									
Can	didate:				Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.3.12	GENERAL SKILL: \	/ertical	Ventil	ation			
posit comp acco	TASK: Perform vertical ventilation on a structure operating as part of a team, so that ladders are correctly positioned, a specified opening is created, all ventilation barriers are removed, structural integrity is not compromised, products of combustion are removed, and the team retreats from the area when ventilation is accomplished.  PERFORMANCE OUTCOME: While operating as a member of a team, the candidate shall demonstrate the								
abilit while an op	<b>PERFORMANCE OUTCOME:</b> While operating as a member of a team, the candidate shall demonstrate the ability to: transport and operate ventilation tools; deploy ground ladders; deploy roof ladders on pitched roofs while secured to a ground ladder; sound a roof for integrity; hoist tools to a roof; cut roofing for ventilation; clear an opening with hand tools; and carry ventilation tools and equipment while ascending and descending ladders.								
		Full personal protective equipment extension ladders, chainsaw/cutting				of), roo	f prop	, roof	
Con	IDITIONS:	Given a simulated fire scenario an	d a team, the candidate	e shall d	emonst	rate th	e abili	ty to:	
No.	O. TASK STEPS			TE	ST	RETE	ST 1	RETE	ST 2
				Р	F	Р	F	Р	F
1.	Properly	wear full protective clothing and SC	CBA (on air)						
2.		nd organize necessary equipment a							
3.		nd properly carry ladders appropriat		$\Box$					
4.		osition for opening at highest point		1 !-					Щ
5.		place and secure ladder for roof ve		1 📙	$\Box$		<u> </u>	Щ	
6.		of for integrity and location of roof j		$+$ $\Box$					Ш
7.	place in	r carry roof ladder while ascending openition on roof up-wind from intend	ded ventilation site						
8.		ols to roof utilizing teamwork (after sols on ground)	starting & stopping						
9.	Sound ro	of for integrity and location of roof j	oists and rafters						
10.	Make an	opening at least 4' x 4' in size							
11.		appropriate roof materials after cut	s have been completed						
12.		ling through		1 !-					Щ
13.	Have tea	m exit roof immediately after perfor	ming ventilation						
	luator:		Retest Evaluat	-					
Con	nments:								
		Certifying Officer Name	Date	<u>Ov</u>	erall S	Skill S	Sheet	Res	ult:
	С	ertifying Officer Signature		Pas	ss (P	): 🗆	Fa	iil (F	'): □

INFF	'A 1001- 2	2006 Ed. PRACTICA	L SKILL REQUIR	KEIVIEIN	3		<u>FFI</u>	<u>- 5.3.</u>	<u>13A</u>	
Can	didate:				Date	e:				
STA	NDARD:	NFPA 1001: 5.3.13	GENERAL SKILL:	Overha	ul					
		aul a fire scene, so that structural in ence is preserved, and the fire is ex		mised, all	hidden	fires a	re disc	overe	d,	
line; integ subfl extin	remove flo rity; apply oor space: guishment	CE OUTCOME: The candidate shapering, ceiling, and wall components water for maximum effectiveness; es; recognize and preserve obvious st.  Full personal protective equipment	s to expose void space expose and extinguis signs of area of origin	es withou h hidden f n and arso	t comprires in v	romisir walls, d evalua	ng struc ceilings te for c	ctural s, and comple	ete	
avail	able), atta	ck line and/or portable water exting	uisher.				- Incilia	illiag	<u> </u>	
CON	ONDITIONS: Given a simulated fire scenario, the candidate shall demonstrate the ability to:									
No.		TASK STEPS		Т	EST	RETI	EST 1	RETI	EST 2	
				Р	F	Р	F	Р	F	
1. 2.										
3.		oper tools and equipment for overh	aul requested	$\exists \exists$				H	H	
4.		trate locating hidden fires by sight, t	•							
5.	Expose h	nidden fires in ceilings, walls, and/or	r subfloor spaces							
6.	Remove	or extinguish burning objects								
7.	Apply on	ly as much water as necessary for o	extinguishment							
8.	Preserve	evidence or signs of cause and ori	gin							
9.	Delay the determin	orough salvage or overhaul until cau ed	use and origin are							
10.	Ensure d	lebris piles or burning material is co	mpletely extinguished	t						
Eva	valuator:  Retest Evaluator 1:  Retest Evaluator 2:									
Cor	nments:									
		Certifying Officer Name	Date	<u>Ov</u>	erall	Skill	Sheet	Res	ult:	
	Certifying Officer Signature  Pass (P):   Fail (F):									

AFSC FF1PSES V08-7 131118 Page 37 of 58

NFP	A 1001- 2	2008 Ed. PRACTICA	AL SKILL REQUIF	REME	ENT	S		FFI:	<u>- 5.3.</u>	13B
Can	Candidate:  Date:  STANDARD: NFPA 1001: 5.3.13  GENERAL SKILL: Deploy Attack Line									
STA	NDARD:	NFPA 1001: 5.3.13	GENERAL SKILL:	Depl	loy A	Attack	Line			
		y an attack line, so that the appropr narged; kinks are removed; and no							oyed;	the
PER line.	FORMANO	CE OUTCOME: The candidate sha	all demonstrate the ab	ility to	: dep	loy an	d oper	ate an	attac	k
		Full personal protective equipment	,							
CON	IDITIONS.	Given a simulated fire scenario, the	ie candidate shall den	nonstr	ale i	ne abii	ity to.			
No.		TASK STEPS			TE	ST	RETE	EST 1	RETI	EST 2
					Р	F	Р	F	Р	F
1.		wear full protective clothing and SOd with fire attack)	CBA (off air unless							
2.		opropriate preconnect hose for scer								
3.	hose is c	<ul> <li>pull hose out of the bed and proce</li> <li>completely out of the bed</li> </ul>								
4.		kinks in hose and correctly prepare play out without significant difficulty		r						
5.		nozzle, call or signal for water, bleed copriately adjust nozzle pattern for f		ne						
6.	Close no	zzle slowly to prevent water hamm	er							
7.	Shut dov	vn line, drain hose, and properly rel	oad hose into bed							
	L - 4		Retest Evalua	ator 1	1:					
Eva	luator:		Retest Evalua	ator 2	2:					
Con	omments:									
					0.4	II (	21.:11 (	Shoo!		
	Certifying Officer Name  Date  Overall Skill Sheet Result:									
	Certifying Officer Signature Pass (P):   Pass (P):   Fail (F):									

AFSC FF1PSES V08-7 131118 Page 38 of 58

MFP	'A 1001- 2	2008 Ed. PRACTICA	AL SKILL REQUIR	EMENI	<u>S</u>		FI	<del>- - 5.</del> ;	<u>3.14                                    </u>	
Can	didate:				Date	e: 				
STA	NDARD:	NFPA 1001: 5.3.14	GENERAL SKILL:	Property	y Con	serva	tion			
	<b>K:</b> Conse er damage	rve property as a member of a tean	n, so that the building a	and its co	ntents	are pr	otected	d from		
abilit	y to cluste	CE <b>OUTCOME:</b> While operating as r furniture; deploy covering material ch-alls; and stop the flow of water from the flow of water flow	ls; roll and fold salvage	covers f	or reus	se; con	struct		е	
	IPMENT: ges or stop	Full personal protective equipment pers.	with SCBA, pike poles	s, salvage	e cover	s, and	sprink	ler		
		Given a simulated fire scenario an	nd a team, the candida	te shall d	emons	trate th	ne abili	ty to:		
No.		TASK STEPS		TE	ST	RETI	EST 1	RETI	EST 2	
				Р	F	Р	F	Р	F	
	COVER P	ROPERTY								
1.	Arrange	furnishing in close piles(s) and raise	e off the floor if possibl	e 🗆						
2.	furnishing	oper salvage cover and deploy cov gs using one of the following (For fi g Officer shall select from the follo	nal evaluation, the							
	☐ Deplo	y a folded salvage cover								
	☐ Deplo	y a rolled salvage cover								
3.	area to a	t one of the following to effectively nother (For final evaluation, the <b>Ce</b> e of the following methods):								
	☐ Water	Catchall Water Ch	nute							
4.		rate how to stop the flow of water for stoppers	rom a sprinkler using							
5.	Correctly	fold and/or roll a salvage cover and	d return to service							
_	I 4		Retest Evalua	tor 1:						
Eva	luator:		Retest Evalua	tor 2:						
Con	nments:		•	<b>.</b>						
								_	_	
		Certifying Officer Name	Date	Ov.	erall	Skill	Sheet	Res	ult:	
	Certifying Officer Signature  Pass (P):   Fail (F):									

AFSC FF1PSES V08-7 131118 Page 39 of 58

NFP	A 1001- 2	2008 Ed. PRACTICA	L S	KILL REQUI	<u>REN</u>	IENT:	<u>S</u>		FI	FI- 5.3	<u>3.15 </u>
Can	didate:						Date	<b>e</b> :			
STA	NDARD:	NFPA 1001: 5.3.15	GEN	NERAL SKILL:	Wa	ıter Sı	upply				
		ect a pumper apparatus to water sup nobstructed.	ply a	as a member of a	a tea	ım, so 1	that co	nnecti	ons ar	e tight	and
abilit wate	y to hand l r tanks an	CE OUTCOME: While operating as lay a supply hose, connect and plac d other necessary equipment, make onnect supply hose to a hydrant, an	e ha hyc	rd suction hose t Irant-to-pumper I	for d nose	rafting conne	opera	tions, d	deploy	portal	
		Full personal protective equipment e supply line (min. 2 ½ hose line).	with	SCBA (as deter	mine	ed by C	Certifyii	ng Offi	cer), h	ydrant	t kit,
_		Given a static water source or fire	hydr	ant, the candida	te sh	nall der	nonstr	ate the	ability	y to:	
N <sub>2</sub>		Trey Coope				<b>T</b> E	O.T.				
No.		TASK STEPS			TE:	S I F	RETE	ST 1	RETE P	ST 2	
	Cortifyin		Г	Г	F	<u> </u>	Г				
		ng Officer shall select one of the for the forward Hydrant Connection Via Forward									
1.		supply hose to hydrant	<u> </u>	KEVEROE EAT.							
2.		supply hose to pumper intake									
3.		kinks from hose				$\exists$	H	H	H	H	
4.		en hydrant							H	H	
5.		f operation, fully close the hydrant				$\vdash$		H	H	H	H
6.		equipment and hydrant in a ready of	cond	ition					H	H	
<u> </u>		TIC WATER SOURCE:	, , , , , , , , , , , , , , , , , , ,								
1.		portable water tank									
2.		askets on the hard suction hose for	dirt	gravel or defects	:	H			H	H	H
3.		strainer or foot or float to hose	un t,	graver or derecte	,	H			H	H	H
4.		ope/strap to strainer to aid in handling	na th	e hose		$\exists$					
5.		hard suction hose to pumper	19 (1)	0 11000		$\dashv$	H	H	H	H	
6.		per mallet to ensure air tight connect	tions			H			H	H	
7.		ose and strainer into static water sou		'		$\exists$			H	H	
8.		umper operator to start drafting proc		re							
					. 4 .	4		•			
Eva	luator:			Retest Evalu							
Comments:											
	Certifying Officer Name  Date  Overall Skill Sheet Result:										
	Certifying Officer Signature  Pass (P):   Fail (F):										

AFSC FF1PSES V08-7 131118 Page 40 of 58

NFP	A 1001- 2	2008 Ed. PRACTIC	AL SI	KILL REQUI	REM	IENT	S		FFI	· 5.3.	16A
Can	didate:						Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.3.16	GEN	ERAL SKILL:	Fire	e Exti	nguis	her- (	Class	Α	
		uish an incipient Class A fire, so th nd correct extinguisher-handling to				is cho	sen, th	e fire i	s com	pletely	′
extin	guishers, a	CE OUTCOME: The candidate shapproach fire with portable fire exting fire, and safely carry portable fire	inguish	ers, select an a						on the	е
		Full personal protective equipmen class A, B, C), and burn pan.	nt with S	SCBA (as dete	rmine	d by C	ertifyir	ng Offi	cer), v	arious	fire
	•	Given a small Class A fire, the ca	andidat	e shall demons	strate	the ab	ility to:				
No.		TASK STEPS				TE	ST	RETE	ST 1	RETE	ST 2
						Р	F	Р	F	Р	F
1.	•	identify the class of fire									
2.	Select ar	appropriate extinguisher based o	ype and size of								
3.	Properly cartridge	activate the extinguisher (pulls pin )	n and/o	r punctures							
4.		ration of the extinguisher by a brie oproaching the fire	ef disch	arge of agent							
5.	_	rry the extinguisher and approach									
6.	Approach extinguis	n to an effective distance for discha her	arge of	the selected							
7.	Discharg over the	e extinguishing agent on the base fire area	of the	fire and sweep	)						
8.		on the remaining burning material h hot spots	l while	continuing to							
9.	Extinguis	h the fire and check for remaining	hot sp	ots							
Eva	valuator:  Retest Evaluator 1:  Retest Evaluator 2:										
Cor	nments:		I_								
		Certifying Officer Name		 Dat	e e	Ove	erall S	Skill S	Sheet	Res	ult:
	Certifying Officer Signature  Pass (P):   Fail (F):										

NFP	A 1001- 2	2008 Ed. PRACTICA	L S	KILL REQUIF	REM	ENT	S		FFI-	· 5.3.	16B
Can	didate:						Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.3.16	GEN	IERAL SKILL:	Fire	Exti	nguis	her- (	Class	В	
		uish an incipient Class B fire, so tha				is cho	sen, th	ne fire i	s com	pletely	/
PER extin	FORMANO guishers, a	CE OUTCOME: The candidate shat approach fire with portable fire extinute of fire, and safely carry portable fire	ıll dei nguis	monstrate the ab hers, select an a	oility t					on th	e
		Full personal protective equipment class A, B, C), and burn pan.	with	SCBA (as deter	mine	d by C	ertifyir	ng Offi	cer), v	arious	fire
Con	IDITIONS:	Given a small Class B fire, the car	ndida	te shall demons	trate	the ab	ility to				
No.		TASK STEPS				TE	ST	RETE	EST 1	RETI	EST 2
						Р	F	Р	F	Р	F
1.		identify the class of fire									
2.	2. Select an appropriate extinguisher based on the type and size of fire										
3.	Properly cartridge	activate the extinguisher (pulls pin a	and/d	or punctures							
4.		ration of the extinguisher by a brief oproaching the fire	disch	narge of agent							
5.	-	arry the extinguisher and approach t		-							
6.	Approacl extinguis	n to an effective distance for discha her	rge c	of the selected							
7.	Discharg over the	e extinguishing agent on the base of fire area	of the	e fire and sweep							
8.	Advance burning I	on the burning material and continuiquid	ue to	extinguish the							
9.	Extinguis	th the fire and watch for re-flash of f	flamr	nable liquids							
Eva	luator:			Retest Evalu	ator	1:					
Lva	Retest Evaluator 2:										
Cor	nments:										
					Г	Ov#	arall (	Skill (	Shoot	· Doo	ıılt.
	Certifying Officer Name  Date  Overall Skill Sheet Result:										
	Certifying Officer Signature  Pass (P):   Fail (F):										

AFSC FF1PSES V08-7 131118 Page 42 of 58

NFP	A 1001- 2	2008 Ed. PRACTICA	AL SKILL REQUIR	REMEN	TS		FFI	- 5.3.	16C	
Can	didate:				Date	e:				
STA	NDARD:	NFPA 1001: 5.3.16	GENERAL SKILL:	Fire Ex	tinguis	sher- (	Class	С		
		uish an incipient Class C fire, so thand correct extinguisher-handling te			nosen, tl	he fire	is com	pletely	/	
extin	guishers,	CE OUTCOME: The candidate shapproach fire with portable fire extinute of fire, and safely carry portable fire	nguishers, select an a					on the	е	
extin	guishers (	Full personal protective equipment class A, B, C), and burn pan.  Given a small Class C fire, the ca					cer), v	arious	fire	
CON	ibilions.	Given a small class c life, the ca	ndidate shall demonst	irate trie	ability to	). 				
No.		TASK STEPS		Т	EST	RET	EST 1	RETE	EST 2	
				Р	F	Р	F	Р	F	
1.	Correctly	identify the class of fire								
2.		to de-energize the item on fire								
2.	2. Select an appropriate extinguisher based on the type and size of fire									
3.	Properly cartridge	activate the extinguisher (pulls pin)	and/or punctures							
4.		ration of the extinguisher by a brief oproaching the fire	discharge of agent							
5.		arry the extinguisher and approach	•							
6.	Approacl extinguis	n to an effective distance for discha her	arge of the selected							
7.	Discharg over the	e extinguishing agent on the base fire area	of the fire and sweep							
8.		on the remaining burning material h hot spots	while continuing to							
9.		sh the fire and check for remaining								
10.	Verify the	e item involved in the fire is de-ene	rgized							
Evo	luotori		Retest Evalua	ator 1:						
⊑va	valuator:  Retest Evaluator 2:									
Con	nments:		·							
		Certifying Officer Name		<u> </u>	verall	Skill	Sheet	t Res	ult:	
	Certifying Officer Name  Date  Overall Skill Sheet Result:  Pass (P):   Fail (F):   Fail (F):   Overall Skill Sheet Result:									

NFP	A 1001- 2	2008 Ed. <b>PRACTIC</b>	<u>\L S</u>	KILL REQUIF	REM	ENT	<u>S</u>		FF	FI- 5.3	<u>3.17                                    </u>
Can	didate:						Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.3.17	GEN	IERAL SKILL:	Illur	minat	te Em	ergen	cy Sc	ene	
		ate an emergency scene, so that dufacturer's listed safety precaution.	esigr	ated areas are il	llumir	nated	and all	l equip	ment is	s oper	ated
and I		CE OUTCOME: The candidate shauipment, deploy cords and connect									
mour		Full personal protective equipment r supply, lights, cords, connectors a									e or
Con	ONDITIONS: Given a simulated fire ground scenario, the candidate shall demonstrate the ability to:										
No.		TASK STEPS				TE	ST	RETE	ST 1	RETE	ST 2
					Р	F	Р	F	Р	F	
1.	Lift equip	ment safely									
2.	Locate p	ower plant in a remote and well ver	nted I	ocation							
3.	•	power cords neatly to minimize trip									
4.	Organize	lights in a useful position to illumin	ate t	he area sufficien	ıtly						
5.	Start pov	<u> </u>									
6.		ds into power unit or junction box ar	nd fu	rnish illumination	1						
7.		vn equipment when told to do so									
8.	explain th	uipment to cool before returning to ne need to do so		·							
9.		uipment, check oil, and refuel powene need to do so	er pla	int or verbally							
10.	Lift equip	ment safely									
				Retest Evalu	ator	1:					
Eva	/aluator: Retest Evaluator 2:										
Con	nments:					•					
<u> </u>											
		Certifying Officer Name	-	Date		Ove	erall (	Skill S	Sheet	Res	ult:
	Certifying Officer Signature  Pass (P):   Fail (F):										

AFSC FF1PSES V08-7 131118 Page 44 of 58

NFP	PA 1001- 2	2008 Ed. PRACTICA	AL S	KILL REQUI	REM	ENT	S		FF	FI- 5.3	3.18
Car	ndidate:						Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.3.18	GEN	NERAL SKILL:	Bui	lding	Utilit	ies			
Tas	<b>K:</b> Turn o	ff building utilities, so that the assig	gnmer	nt is safely comp	oleted						
		CE OUTCOME: The candidate sha valves or switches, and assess for			bility t	o iden	tify util	ity con	trol de	evices	1
for c	ontrolling ι	Full personal protective equipment utilities, and utility service boxes.		•							ols
Con	IDITIONS:	Given a simulated fire ground sce	enario	, the candidate s	shall o	demor	nstrate	the ab	ility to		
No. TASK STEPS TEST RETEST 1 RETEST 2											
	P F P F										
	For Final Exam the Certifying Officer shall select two of the following utility service boxes for the candidate to locate and shut off:										
1.		ate Electrical main panel and mover position	e swit	ch or breaker to							
		ate natural gas meter and rotate ga	as shi	utoff valve to							
		ate LPG/CNG storage tank/cylinde kwise to shut off	r and	turn valve							
	1 1 1	ate water meter box and correctly to the flow of water	turn o	r rotate valve to							
<b>-</b>				Retest Evalu	ıator	1:					
Eva	luator:		•	Retest Evalu	ıator	2:					
Cor	nments:										
		Certifying Officer Name		Date	e	Ove	erall S	Skill S	Sheet	Res	<u>ult:</u>
	Certifying Officer Signature  Pass (P):   Fail (F):										

AFSC FF1PSES V08-7 131118 Page 45 of 58

NFP	A 1001- 2	2008 Ed. PRACTICA	L S	KILL REQUIRE	<u>ME</u>	NT	S		FF	FI- 5.3	3.19
Can	didate:						Date	<b>)</b> :			
STA	NDARD:	NFPA 1001: 5.3.19	GEN	IERAL SKILL: C	Comb	oat	Grou	nd Co	ver F	ire	
threa		at a ground cover fire operating as a conal safety are recognized, retreat is									
abilit	y to detern	CE OUTCOME: While operating as nine exposure threats based on fire hand tools, maintain integrity of est	spre	ad potential, prote	ct ex	pos	ures, c	onstru	ict a fir	e line	
		Wildland personal protective equiporand a map or drawing.	ment	, wildland hand too	ols, w	vildla	and ho	se line	s, pum	np	
		Given a simulated wildland ground demonstrate the ability to:	d cov	er fire scenario ( <i>m</i>	ay be	e a t	ableto	p scen	<i>ario</i> ), t	he	
No.		TASK STEPS				TE	ST	RETE	EST 1	RETE	ST 2
						Р	F	Р	F	Р	F
1.	and what hazards recomme	escribe what personal protective clo t tools and equipment are needed (I SCBA and hood not required, wild la ended if available)	If no l	respiratory orotective clothing							
2.		an assessment of the incident with the hy, weather conditions, and exposu		ect to type of fuel,							
3.		he exposures present and what pro the operation	tectio	on is needed, or							
4.		n available fuels and terrain, conduction and maintenance of a fire line u									
5.		or explain extinguishment of ground I a backpack or vest pump extinguis		er fires using hand	] [						
6.		or explain extinguishment of ground I a wildland hand line	d cov	er fires using hand	j [						
7.	Identify the escape r	ne need for lookouts, communicatio outes	ns, s	afety zones, and							
8.	Explain h	now to quickly retreat using establish	hed e	escape routes							
Fva	luator:			Retest Evaluat	tor 1	:					
∟va	iuator.			Retest Evaluat	or 2	:					
Con	nments:										
		Certifying Officer Name		Date	-  <u> </u>	<u>Uve</u>	erall S	Skill S	<u>sheet</u>	: Kes	<u>ult:</u>
	C	ertifvina Officer Sianature			F	as	s (P	<b>):</b> 🗆	Fa	ail (F	): 🗌

NFPA	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.5.1A  Candidate: Date:										
Cand	lidate:				Date	):					
STAN	DARD:	NFPA 1001: 5.5.1	GENERAL SKILL:	Mainten	ance:	Ladd	ers				
	mental g	and check ladders, so that equipm uidelines, maintenance is recorded									
cleanir		CE OUTCOME: The candidate shats spection, follow manufacturer and edures.									
EQUIF	PMENT:	Ladders, service tags, cleaning su	pplies, and maintenand	ce log boo	k/reco	rd					
COND	ITIONS:	Given a fire station or other adequ	uate location, the candi	date shal	l demo	nstrate	the a	bility t	0:		
No.		TASK STEPS		TE	ST	RETI	EST 1	RETI	EST 2		
	P F P F F III III III III III III III II										
1.	Washe										
2.	Inspec	ts halyard/cable									
3.		ets all movable parts of ladder (i.e. geams/rails)	guide, pulley(s), locks,								
4.	Exami	ne all, rungs, bolts, rivets, welds, a	nd heat indicator								
5.	-	lubrication of moveable parts and									
6.		cts found, mark defects in accorda ment guidelines and place equipme		or							
7.		izes conditions that cannot be corr ntenance	ected through cleaning								
8.	If no d	efects found, place equipment in re	eady state								
Evolu	ıator:		Retest Evalua	tor 1:							
Evail	iator:		Retest Evalua	tor 2:							
Com	omments:										
	Overall Skill Sheet Result:										
	Certifying Officer Name  Overall Skill Sheet Result:										
	Certifying Officer Signature Pass (P):   Pass (P):   Fail (F):										

AFSC FF1PSES V08-7 131118 Page 47 of 58

NFPA	1001- 2	2008 Ed. PRACTICA	AL SKILL REQUIR	REME	ENT	<u>S</u>		FF	l- 5.5	5.1B
Cand	lidate:					Date	):			
STANI	DARD:	NFPA 1001: 5.5.1	GENERAL SKILL:	Main	ntena	ance:	SCB	4		
	mental g	and check SCBA's, so that equipm uidelines, maintenance is recorded								,
cleanir reporti	ng and in ng proce		departmental guidelin	es, an	nd co	mplete	recor	ding a		for
EQUIF	PMENT:	SCBA ensemble, service tags, clea	aning supplies, and m	ainten	nance	log b	ook/re	cord		
COND	ITIONS:	Given a fire station or other adequ	uate location, the cand	didate	shall	demo	nstrate	the a	bility t	0:
No.		TASK STEPS			TE	ST	RETE	EST 1	RETI	EST 2
					Р	F	Р	F	Р	F
1.		face piece, hoses, and exhalation var/disinfectant and rinse completely	•							
2.		SCBA with damp cloth or according								
3.	_	straps and backpack assembly								
5.		condition and hydrostatic test date	of cylinder						무	
6.		ne cylinder valve on fully	ithia 400 and the		Ш	Ш		Ш		
7.	pressu	are that two pressure gauges are w ire) within 200 psi (high pressure) c	of each other							
8.	Check breath	regulator operation by connecting ing	to face piece and							
9.		face piece and exhalation valve by								
10.	Check after te	by-pass operation and ensure by-pasting	pass is in the off positi	ion						
11.		low pressure alarm while bleeding							무	
12.		all straps, valves, and components	· · · · · · · · · · · · · · · · · · ·		Ш	Ш		Ш	$\Box$	
13.	pressu	the air cylinder is in off position an ire (90% - full)	·							
14.		date will remove from service and n arities are found	notify supervisor if any							
Evalu	.010**		Retest Evalua	ator 1	1:					
Evail	iator:		Retest Evalua	ator 2	2:					
Comi	ments:									
		Certifying Officer Name	 Date	,	Ove	erall S	Skill S	Sheet	Res	ult:
	С	ertifying Officer Signature			Pas	s (P	): 🗆	Fa	ail (F	:):□

AFSC FF1PSES V08-7 131118 Page 48 of 58

NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS					FF	I- 5.5	5.1C				
Can	Candidate: Date:										
STA	STANDARD: NFPA 1001: 5.5.1 GENERAL SKILL: Maintenance: Ropes										
depa	<b>TASK:</b> Clean and check ropes, so that equipment is clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.										
clear	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.					for					
EQU	IPMENT:	Ropes, service tags, cleaning supp	plies, a	nd maintenand	e log	book	/record	l			
Con	IDITIONS:	Given a fire station or other adequ	uate loc	cation, the can	didate	e shall	demo	nstrate	the a	bility t	0:
No.	No. TASK STEPS TEST RETEST 1 RETES						ST 2				
					ŀ	Р	F	Р	F	Р	F
1.	Examine the entire surface of the rope for cuts, abrasions, stains, odor, or fraying										
2.	Examine the inner component by twicting the rape or feeling for										
3.		pe using clear water									
4.	complete	•	must be	e allowed to dry	y						
5.		additional inspection after drying					Ш				
6.	departme	e found, mark defects in accordancent guidelines and place equipment	t out of	service							
7.	If no dam bag stora	nage found, properly store rope usir age	ng coil	method or rope	е						
Eva	luator:			Retest Evalu	ator	1:					
LVa	Evaluator:  Retest Evaluator 2:										
Con	nments:										
						0.44	roll 6	21/:11 4	Shoot		
		Certifying Officer Name		Date	9	<u>UV</u>	erall S	OKIII (	oneet	. ĸes	uit:
	Certifying Officer Signature					Pas	s (P	): 🗌	Fa	ail (F	·): 🗆

NFPA 1001- 2008 Ed. <b>PRACTICA</b>	AL SKILL REQUIR	REMENTS	FFI- 5.5.1D1				
Candidate:		Date	e:				
<b>STANDARD:</b> NFPA 1001: 5.5.1	GENERAL SKILL:		e: Ventilation & Hand Tools				
<b>TASK:</b> Clean and inspect ventilation equipment and hand tools, so that equipment and tools are clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.							
<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.							
<b>EQUIPMENT:</b> Ventilation equipment, hand tools, book/record.	service tags, cleaning	supplies, and m	naintenance log				
CONDITIONS: Given a fire station or other adequ	uate location, the cand	idate shall demo	onstrate the ability to:				

No.	TASK STEPS	TE	ST	RETE	ST 1	RETE	EST 2
		Р	F	Р	F	Р	F
	VENTILATION EQUIPMENT:						
1.	Check blades for sharpness and equipment for completeness and readiness						
2.	Check that appropriate guards are in place and secure						
3.	Start equipment and ensure proper operation						
4.	For electric fans, check cords for cuts and frays						
	HAND TOOLS:						
	Wooden Handles:						
5.	Check for cracks, blister, or splinters						
6.	Sand wooden handles if needed						
7.	Clean with soapy water, rinse, and dry after use						
8.	Apply coat of boiled linseed oil to the handle						
9.	Check to ensure head is on tight						
	Fiberglass Handles:						
10.	Wash with warm, soapy water						
11.	Dry with soft, dry cloth						
12.	Check to ensure head is on tight						
	Cutting Edges:						
13.	Check to ensure cutting edge is free of nicks or tears						
14.	File the edges by hand						
	Plated Surfaces:						
15.	Inspect for damage						
16.	Wipe plated surface clean or wash with soap and water						

AFSC FF1PSES V08-7 131118 Page 50 of 58

NFP	'A 1001-	2008 Ed. PRACTICAL S	KILL REQUIRE	MENI	<u>ა</u>		FFI	<u>- 5.5.</u>	1D2
No.		TASK STEPS		TE	ST	RETE	EST 1	RETE	ST 2
				Р	F	Р	F	Р	F
	Unprote	cted Metal Surfaces:							
17.	Keep cle	an of rust							
18.	Keep oiled when not in use (Light machine oil or similar product)								
19.	Check to	ensure no paint is on surface (may hide	e cracks)						
20.	Check that motal surfaces are free of burred or sharp edges (file as								
	REPORT	DAMAGE:							
21.	If damage found to any of the above, mark defects in accordance with manufacturer or department guidelines and place equipment out of service								
22.	If no dan	nage found, properly store tools/equipme	ent in a ready state						
Eva	luator:		Retest Evaluato	r 1:					
			Retest Evaluato	r 2:					
Con	nments:								
				-			•	•	_
		Certifying Officer Name	 Date	Ove	erall S	Skill S	Shee	t Res	ult:
				Pag	s (P	۷- □	F	sil /⊑	<b>∖-</b> □
	C	Certifying Officer Signature		газ	os (r	<i>J</i> • ⊔	Г	אוו ער	<i>J</i> • ⊔

NFP	NFPA 1001- 2008 Ed. PRACTICAL SKILL REQUIREMENTS FFI- 5.5.1E						5.1E		
Can	didate:				Date	ə:			
STA	STANDARD: NFPA 1001: 5.5.1  GENERAL SKILL: Maintenance: Salvage Equipment								
manı	<b>TASK:</b> Clean and inspect salvage equipment, so that equipment is clean and maintained according to manufacturer or departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise.								
clear	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to select the correct equipment for cleaning and inspection, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.					for			
		Salvage covers, service tags, clear						1. 1114 4	_
CON	IDITIONS:	Given a fire station or other adequ	iate location, the cand	idate sha	all demo	nstrate	the a	bility t	0:
No.	No. TASK STEPS					RETE	ST 1	RETEST 2	
		Р	F	Р	F	Р	F		
1.	Spread t	he salvage cover out flat for cleanir							
2.		e cover with detergent solution and	a brush						
3.		ver thoroughly							
4.		er should be thoroughly dried befo							
5.		e cover thoroughly for damage by he above heads while looking for hole							
6.		e cover thoroughly for damage by he rabove heads while looking for hole							
7.	with man	e found to any of the above, mark of sufacturer or department guidelines rvice in accordance with departmer	and place equipment	es					
8.	If no dam	nage found, properly store equipme	nt in a ready state						
			Retest Evalua	ator 1:					
Eva	luator:		Retest Evalua	ator 2:					
Con	nments:								
					orall (	eriii e	Shoot	· Dos	
		Certifying Officer Name	Date	0	<u>/erall (</u>	JKIII S	onee.	. Res	uit.
	Certifying Officer Signature  Pass (P):   Fail (F):						·): 🗌		

NFPA	1001- 2008 Ed. <b>PRACTIC</b>	AL SKILL REQUIRE	MENT	S		FI	FI- 5.	<u>5.2a</u>	
Cano	didate:			Date	<b>e</b> :				
STAN	IDARD: NFPA 1001: 5.5.2	GENERAL SKILL: M	aintena	ance:	Fire	Hose			
	<b>TASK:</b> Clean, inspect, and return fire hose to service, so that damage is noted and corrected, equipment is placed in a ready state or reported otherwise, and service maintenance is recorded.								
operat	<b>PERFORMANCE OUTCOME:</b> The candidate shall demonstrate the ability to clean different types of hose, operate hose washing and drying equipment (if available), mark defective hose, and replace coupling gaskets, roll hose, reload hose, follow manufacturer and departmental guidelines, and complete recording and reporting procedures.								
brush,	<b>EQUIPMENT:</b> Personal protective clothing (Certifying Officer to determine what PPE shall be worn), scrub brush, hose, cleaning supplies, replacement gaskets, hose washer and dryer (if available), tags, and maintenance log book/record.								
CONE	DITIONS: Given a fire station or other adeq	uate location, the candida	ate shall	demo	nstrat	e the a	bility t	0:	
No.	TASK STEPS		TE	ST	RETE	EST 1	RETE	ST 2	
			Р	F	Р	F	Р	F	
	CLEANING AND INSPECTION:								
1.	Clean hose using water and scrub brush used)	(mild detergent may be							
2.	Clean couplings by removing gaskets, wa water and reinstalling gaskets (replacing i								
3.	Dry hose								
5.	Inspect hose for signs of mechanical dam	age							

Page 53 of 58

Inspect hose for dirt and debris

**RETURN HOSE TO SERVICE:** 

Inspect hose for loose couplings

Inspect hose for damaged male or female threads

If hose is damaged, mark defects in accordance with

manufacturer or department guidelines and place hose out of

If no damage found, properly store or load hose in a ready state

Using local fire department approved methods, identify and complete two types of hose rolls (i.e. straight, donut, twin

For final examination, the CO shall select a local department approved load (specify below)

Inspect and verify that swivel operates freely

7.

8.

9.

10.

11.

service

donut, etc):

☐ Hose Roll #1

☐ Hose Roll #2

NFPA	A 1001- 2	2008 Ed.		PRACTICAL S	KILL REQUIRE	MENT	S		FI	FI- 5.	5.2b
No.	TASK STEPS			ASK STEPS		TE	TEST RETEST		EST 1	T 1 RETEST 2	
						Р	F	Р	F	Р	F
	each of	f the follow e preconne e supply li nal examin	ving hose ect attack ne ( <i>i.e. ac</i> ation, the	line (i.e. minuten cordion, horsesh	nan, triple lay, flat) noe, flat) nocal department						
13.	Preconi	nect hose lo	oad								
14.	Supply	hose load									
Eval					Retest Evaluato	r 1:					
Evai	uator:				Retest Evaluato	r 2:					
Com	ments:					•					
		Certifying Off	icer Name		Date	Ove	erall	<u>Skill</u>	<u>Shee</u>	t Res	<u>sult:</u>
	С	ertifying Office	er Signature			Pas	s (F	P): 🗆	Fa	ail (F	⁼): □

NFPA 1001- 2008 Ed.

#### PRACTICAL SKILL REQUIREMENTS

FFI- \*6.5.2

#### ALASKA SPECIFIC REQUIREMENT FOR FIREFIGHTER I CERTIFICATION

#### To be evaluated by the Lead Instructor or Chief Officer during course delivery

Can	didate:				Date	e:			
STA	NDARD:	NFPA 1001: 6.5.2	GENERAL SKILL:	Fire Sa	fety Pr	esent	ation		
		nt fire safety information to station vi		s, so that	all infor	mation	is pre	sented	d,
		CE OUTCOME: The candidate shaups, and document presentations.	II demonstrate the ab	oility to us	e prepa	red ma	aterials	, prese	ent
		Prepared *fire safety materials, loca *Note: Please review attached instruction	on sheet.					ce.	
Con	IDITIONS:	Given a station tour or audience, the	ne candidate shall de	monstrat	e the fo	llowing	<u> :</u>		
No.		TASK STEPS		Т	EST	RETE	EST 1	RETE	ST 2
				Р	F	Р	F	Р	F
	Lesson	title of subject taught:							
		Check one							
	☐ Stati	on tour   Classroom setting	Other						
	Number	of participants:							
	Target a	ge group:							
1.	Organize	ed and prepared material ahead of p	resentation						
2.	-	tated the topic and objective(s) to the	-						
3.		ne lesson to accomplish the objectiv	• •						
4.		and equipment used were appropri		-	<u> </u>				
5.		ation technique was appropriate for t		e	14		Щ		
6.	Answere	d or referred questions to appropria	te personnel						
Fva	luator:		Retest Evalu	ator 1:					
Lva	iuator.		Retest Evalu	ator 2:					
Con	nments:								
					orall	er:II e	Shoot	· Doc	
		Lead Instructor/Chief Officer Name			<u>rerall</u>	<u>JKIII (</u>	SHEE	. RES	uit.
	Le	ead Instructor/Chief Officer Signature		Pa	ss (F	): 🗆	Fa	ail (F	): □

#### <u>Instruction Sheet for Evaluation Sheet FFI AK Life Safety Presentation Supplement</u>

The Alaska Fire Standards Council considers fire and life safety education components to be a critical skill for firefighter I personnel. This Alaska specific requirement is a supplement to the NFPA 1001 2008 chapter 5 material, and must be completed as part of the requirement for Alaska firefighter I certification. Complete the job performance skill as detailed below.

Present a prepared program to an identified audience, given a lesson plan, time allotment, and instructional materials. Please reference the Alaska fire statistics information online (<a href="http://www.dps.alaska.gov/Fire/TEB/alaskafirestatistics.aspx">http://www.dps.alaska.gov/Fire/TEB/alaskafirestatistics.aspx</a>) to assist in identifying a target topic for your community. Suggested topics include:

- a. Cooking Safety
- b. Stop, drop and roll
- c. Escape planning
- d. Calling the fire department
- e. Smoke alarm placement, testing, and maintenance
- f. Heating Safety
- g. Crawl low in smoke
- h. Alerting others in emergencies
- i. Other fire prevention lesson

**DIRECTIONS**: The objective for this skill is for the firefighter to present a basic fire life safety education class using prepared material. The intended audience is the general public and community members, and this lesson may be taught to a wide variety of audiences. Possible audiences could include: school children, adults, church groups, public service groups or other members of the general public, day care centers, or nursing homes.

Lesson plans for this presentation can be found in the NFPA Learn Not To Burn Curriculum and the Kids Safe Fire Safety Program. Many individual fire department fire prevention programs also have lesson plans that can be used.

After teaching this lesson, FFI practical skill sheet 6.5.2 must be completed for receive credit for the activity. The completed skill sheet, signed by the Lead Instructor or Chief Officer, will document the necessary information for a candidate to receive credit for the activity.

		Certification JPR
Oldin Obeet #	Tasks	Requirement: *6 Mandatory
Skill Sheet #	Tasks	3 Random
Mandatory Practical		
<u>5.1.2A</u>	Donning and Doffing PPE	Mandatory
<u>5.2.3</u>	Transmit on Radio	Mandatory
<u>5.3.1A-C</u>	Don SCBA and Emergency Procedures	Mandatory (A or B or C)
<u>5.3.6a-b</u>	Ground Ladders	Mandatory
<u>5.3.10A-C</u>	Interior Fire Attack	Mandatory (A or B or C)
Type 1 FFI Random P	ractical Skills	
<u>5.1.2B</u>	Ropes, Knots, and Hoisting Tools	Random
<u>5.3.4a-b</u>	Forcible Entry	Random
<u>5.3.5</u>	Exit Hazardous Environment	Random
<u>5.3.7</u>	Vehicle Fire	Random
5.3.8	Class A Fire - Stacked or Piled	Random
<u>5.3.9a-b</u>	Search and Rescue	Random
<u>5.3.11a-b</u>	Horizontal Ventilation	Random
5.3.12	Vertical Ventilation	Random
5.3.15	Water Supply	Random
Type 2 FFI Random P	Practical Skills	
5.3.2	Respond on Apparatus	Random
5.3.3	Scene Safety	Random
5.3.13A	Overhaul a Fire Scene	Random
5.3.16A-C	Extinguishers	Random
5.3.17	Scene Lighting	Random
5.3.18	Control Utilities	Random
5.3.19	Ground Fire	Random
Type 3 FFI Random P		
5.1.2C	Documentation, Standard, or Code	Random
5.2.1	Initiate a Response	Random
5.2.2	Receive a Telephone Call	Random
5.3.10D	Extend/Replace Hose	Random
5.3.13B	Deploy Hose line	Random
5.3.14	Salvage	Random
5.5.1A	Clean and Check Ladders	Random
5.5.1B	Clean and Check SCBA	Random
5.5.1C	Clean and Check Ropes	Random
5.5.1D	Clean and Check Vent Equip	Random
5.5.1E	Clean and Check Salvage Equip	Random
5.5.2a-b	Clean and Inspect Hose	Random
	Prior to Certification Testing (Skill check com	
Evaluated Ecoury	Officer)	pieted by Lead met deter of cine.
6.5.2	Fire Safety Presentation	Mandatory

<sup>\*6.5.2</sup> is evaluated locally and the practical skill check-off is completed by the Lead Instructor or a Chief Officer prior to the certification examination date

#### NFPA 1001 2008 Edition Changes to Skill Sheets

- Reformatted sheet numbering for consistency with NFPA sections:
  - Numbers indicate chapter section (i.e. all FFI is chapter 5, and sub categories follow number format). Skill sheet number represents NFPA section
  - Upper case letter indicates multiple skill sheets listed under single sub-category (i.e. section 5.1.2 lists three separate skill requirements; where "5.1.2A" represents PPE, "5.1.2B" Ropes, Knots, Tools, and "5.1.2C" represents response guidelines).
  - Upper case letter followed by a number indicates single sub-category with a specific skill set listed on multiple pages (i.e. section 5.3.1B1 and 5.3.1B2 contains too much SCBA information for a single page.
  - O Lower case letter indicates multiple pages for single category (i.e. section 5.3.1 lists too many skills for a single skill set to fit on a single page; pages are listed as 5.3.4a and 5.3.4b)
- Added third Pass/Fail Column for consistency with certification program
- Simplified the "Overall Skill Sheet Score" to one box; eliminated the retest box

#### **Specific Skill Sheet Changes from 2002 to 2008 Editions:**

- 5.1.2B- Combined Knots and Hoisting skills (no longer specific knot requirements- AHJ)
- 5.1.2C- Added due to standard requirement (not previously included)
- 5.3.1- SCBA NFPA skill requirements to include all elements;
  - o Added low air warning requirement (#1)
  - Clarified restricted passage requirement and grouped with other requirements
- 5.3.3 Expanded options and clarified skills to standard
- 5.3.4 Combined skill requirements to include all elements and clarified test guidelines
- 5.3.6 Combined skill requirements to include all elements and clarified test guidelines
- 5.3.10A-C Expanded options and clarified skills to standard
- 5.3.10D Added hose extension/replacement to meet standard (not previously included)
- 5.3.13B Added hose deployment to meet standard (not previously included)
- 5.3.14 Removed salvage cover throw detail and clarified test guidelines
- 5.3.15 Combined skill requirements to include all elements and clarified test guidelines
- 6.5.2 Continued for FFI level per AFSC specific requirement (NFPA 1001 2002 to 2008 edition changed from FFI to FFII skill)